

Pooshesh Tehran Navid

What are "TEHRALUX" & "TEHRASIL" casing?



PRODUCT SPECIFICATIONS

"TEHRALUX" and "TEHRASIL" are five-layer biaxial oriented shrinkable casings, ideal for cooked un-smoked meat products with prolonged shelf-life. "TEHRALUX" is offered in reels and "TEHRASIL" is offered in shirred and netted strands.

TEHRALUX Features:

- ✓ Caliber: from 38 200
- ✓ Color: available in variety of colors
- Printing: Flexoprint, multi colors, picture designs, one or both sides
- ✓ Number of layers: five layers
- ✓ Barrier or permeable: barrier
- ✓ Thickness: 50 microns (adjustable)
- ✓ Available forms: reels
- ✓ Length of sticks/reels: 500 M per reel
- ✓ Extended shelf life of about 6 weeks
- ✓ Soaking: required
- ✓ Shrinkage: 10% (adjustable)
- ✓ Caliber: from 18 to 34



TEHRASIL Features:

- ✓ Caliber: from 38 200
- ✓ Color: available in variety of colors
- Printing: Flexoprint, multi colors, picture designs, one or both sides
- \checkmark Number of layers: five layers
- ✓ Barrier or permeable: barrier
- ✓ Thickness: 50 microns (adjustable)
- ✓ Available forms: shirred stick
- ✓ Length of sticks/reels: 20 M per stick
- ✓ Extended shelf life of about 6 weeks
- ✓ Soaking: required
- ✓ Shrinkage: 10% (adjustable)

Use benefits:

- Prolonged shelf-life
- No need to secondary packaging
- No weight loss even in prolonged shelf-life because of high sealing factor
- ✓ No oxidation effects due to excellent oxygen barrier
- ✓ Wrinkle free products resulted from excellent shrink capacity

Storage conditions and time:

For original non-printed casings, storage time of 36 months is achieved applying optimum conditions characterized as a cool and dry place protected from frost.

- ✓ For printed casings the storage time will be 12 months
- ✓ For pre-soaked casings, the storage time will decline to 6 months

Available forms:

- ✓ Reels
- ✓ Bundles
- ✓ Shirred sticks (TEHRASIL)
- ✓ Tied/cut pieces

Colors and printing:

- \checkmark Variety of beautiful colors are available for this casing
- Benefiting from excellent printing facilities, exclusive multicolor designs are provided





Casing diameter:

"TEHRALUX" and "TEHRASIL" casings are available in calibers ranging from 40 to 200. In order to gain optimum performance, casings with different calibers must be filled to recommended diameter listed below

CASING	STUFFING
CALIBRE	DIAMETER
40	44
50	70
60	65
70	77
80	88
90	99
100	107
110	120
120	130
135	149
150	160
165	175
175	185
185	195
190	200
200	215



Preparation:

- \checkmark The casings must be kept in their original packaging until being utilized
- \checkmark Soaking both interior and exterior surface of the casing in fresh drinking water is required before use, as following:

SOAKING TIME	CASING FORMS
30 minutes	Tied pieces
45 – 60 minutes	Shirred strands (TEHRASIL)
60 minutes	Printed casings

Water temperature for soaking is ~ 30 °C Note: soaking in too hot or too cold water will have negative affect on casings optimum properties.

Filling and closure:

✓ The casing must be filled up to the recommended stuffing diameter (Note: over- or under-stuffing may cause wrinkle or tear on product)

\checkmark \checkmark

Cooking:

Cooking temperature is set to the desired core temperature depending on products specifications and weight. Normally, the cooking temperature is set on 80°C for around 45 minutes. The core temperature of 72°C must be reached during cooking. Cooking position can be both horizontal and vertical.

Cooling:

Cooling down is done without the risk of bursting, applying common usual ways even without showering. The recommended way of cooling is in fridge. The only consideration is to avoid fast cooling with high airflow or iced water to reach the core temperature of 4°C

Advantages of "TEHRASIL" over "TEHRALUX"

There are no differences between "TEHRALUX" and "TEHRASIL" in basic structures and material, however technical advantages make "TEHLASIL" casing a better option. Here are some advantages of "TEHRASIL":

- Casings are being protected better during transportation due to netting
- Soaking is done easier and more effectively because of shirring; the interior surface of the casing will be completely exposed to water which makes the process shorter and more effective.
- Filling is done more efficiently because of shirring \checkmark

Closure can be done using appropriate clipping and tying methods. Choosing correct size of filling horn which is just little bit smaller than interior diameter of the casing is necessary for stuffing.

HEAD OFFICE

No.6, South Gandhi Ave, 1517717117 Tehran, Iran

> +9821 8877 2921 +9821 8879 1101 +9821 8879 1824 +9821 8879 2921 +9821 8888 1171

info@poosheshnavid.com export@poosheshnavid.com import@poosheshnavid.com financial@poosheshnavid.com production@poosheshnavid.com technical@poosheshnavid.com sales@poosheshnavid.com